



LOTS 1-50
SETBACKS:
 FRONT — 40'
 REAR — 25'
 SIDE — LOTS 1-11, LOTS 27-36 & LOTS 43-47
 5' ON ONE SIDE AND 15' ON THE OTHER SIDE AS SHOWN GRAPHICALLY.
 SEE SHEET 2 OF 3 FOR TYPICAL LOT LAYOUT



- NOTES:**
- THE CITY OF GERMANTOWN SHALL BE GRANTED A PUBLIC EASEMENT WITHIN ALL PRIVATE STREET RIGHT-OF-WAYS FOR PURPOSES OF MAINTAINING PUBLIC DRAINAGE, SANITARY SEWER AND WATER.
 - ALL F.F.E. ELEVATIONS SHOWN ARE MINIMUM.
 - FACILITIES NOTED AS STORM WATER DETENTION SHALL NOT BE ALTERED WITHOUT WRITTEN PERMISSION FROM THE CITY OF GERMANTOWN ENGINEER. THE STORM WATER DETENTION FACILITIES SHALL BE MAINTAINED IN ACCORDANCE WITH THE CITY OF GERMANTOWN, MAINTENANCE SHALL INCLUDE, BUT NOT BE LIMITED TO REMOVAL OF SEDIMENTATION, DEBRIS, TRASH, LAWN CLIPPINGS AND REPAIR AND MAINTENANCE OF DRAINAGE STRUCTURE. THE OWNER / HOA SHALL PERFORM INSPECTIONS MONTHLY, SUBMITTING A WRITTEN REPORT ANNUALLY TO THE CITY OF GERMANTOWN ENGINEER NOTING THE CONDITION OF THE FACILITIES AND REMEDIAL ACTION(S) TAKEN. RECOMMENDED REPAIRS/MAINTENANCE IN THE REPORT SHALL BE PERFORMED BY A LICENSED/CERTIFIED CONTRACTOR.
 - THE H.O.A. SHALL MAINTAIN ALL COMMON AREAS INCLUDING RETAINING WALL WITHIN C.O.S. C, ENTRANCE GATES AND FENCE, PRIVATE DRAINAGE, DETENTION FACILITIES WITHIN C.O.S. A, AND PRIVATE ROADS (COS E), AS RECORDED IN INST. NO. **19035813**
 - SEE SHEET 2 OF 3 FOR LINE AND CURVE TABLES.
 - PHASE 1 SHALL CONSIST OF ALL COMMON SPACES, ALL PRIVATE STREET RIGHTS-OF-WAY (COS E), LOTS 1-11, 27-36, 43-47 AND THE PRIVATE DRAINAGE EASEMENT ON LOTS 41 & 42 IN PHASE 2 AND THE PUBLIC DRAINAGE EASEMENT ON LOT 19 IN PHASE 2.
 - PHASE 2 SHALL CONSIST OF LOTS 12-26, 37-42, AND 48-50.
 - THE SOUTHERN GATE IS EXIT ONLY GATE.
 - 5' UTILITY EASEMENTS ARE LOCATED ALONG ALL LOT LINES AS GRAPHICALLY SHOWN, EXCEPT FOR ALONG THE COMMON LOT LINE BETWEEN LOTS 9 AND 10, AND ALONG THE REAR OF LOTS 9, 10 AND 11.
 - TWO (2) TREES ARE REQUIRED TO BE PLANTED PER LOT. LOCATION OF PLANTED TREES TO BE DETERMINED AT TIME OF FOUNDATION SURVEY APPROVAL AND SHALL BE INSTALLED PRIOR TO ISSUANCE OF A CERTIFICATE OF OCCUPANCY.



- NOTES:**
- THIS PROPERTY LIES WITHIN THE LIMITS OF A FIRM SPECIAL FLOOD HAZARD AREA ACCORDING TO FIRM PANEL 47157C0455F DATED SEPTEMBER 28, 2007. BASE FLOOD ELEVATION IS BETWEEN 305 AND 312.
 - THE PORTIONS OF PROPERTY STILL WITHIN A SPECIAL FLOOD HAZARD AREA ARE LIMITED ONLY TO SMALL AREAS OUTSIDE OF THE BUILDING SETBACKS ON REAR PORTIONS OF LOTS 2 THROUGH 10 AS GRAPHICALLY REFLECTED ON THE PLAT.
 - TBM - PK NAIL LOCATED IN MC VAY ROAD @ SOUTHWEST CORNER OF PROPERTY. ELEVATION = 334.23
 - CITY OF MEMPHIS BM #1065 - MC VAY RD. & STOUT RD.; CITY MONUMENT IS LOCATED ON THE SE COR., AT FRONT OF S/WALK, 10' S. OF ER ON MC VAY RD. SIDE. ELEVATION = 327.72
 - PLEASE BE ADVISED THAT A BUILDING PERMIT ISSUED BY THE MEMPHIS/SHELBY COUNTY OFFICE OF CONSTRUCTION CODE ENFORCEMENT DOES NOT ALLOW FOR ALTERATIONS AND/OR IMPROVEMENTS TO ANY RIGHT-OF-WAY (ROW) MAINTAINED BY THE CITY OF MEMPHIS. ALTERATIONS AND/OR IMPROVEMENTS TO THE CITY OF MEMPHIS ROW INCLUDE BUT ARE NOT LIMITED TO WORK PERFORMED ON SIDEWALKS, CURBS AND GUTTER, DRIVEWAY APRONS AND UTILITY TIE-INS. ROW PERMITS MUST BE OBTAINED FROM THE MEMPHIS CITY ENGINEER'S OFFICE AT PH 636-6700 FOR ANY WORK WITHIN MC VAY R.O.W. WITHIN CITY OF MEMPHIS LIMITS. ROW PERMITS MUST BE OBTAINED FROM THE CITY OF GERMANTOWN FOR ANY WORK WITHIN MC VAY ROAD R.O.W. WITHIN GERMANTOWN CITY LIMITS.

REQUIRED SIDEWALKS

STREET NAME	S/W WIDTH	SIDE	LOCATION FROM BACK OF CURB
ALLELON CIRCLE NORTH	5'	NORTH (EXCEPT C.O.S. A)	4.5' GRASS PLOT
ALLELON CIRCLE EAST	5'	EAST	4.5' GRASS PLOT
ALLELON WOODS LANE	5'	EAST	4.5' GRASS PLOT
ALLELON BEND LANE	5'	EAST	4.5' GRASS PLOT

THE REQUIRED SIDEWALKS SHALL BE INSTALLED ACROSS THE FRONTAGE OF EACH LOT BY THE BUILDING PERMIT HOLDER PRIOR TO USE AND OCCUPANCY OF THE BUILDING OR BY THE DEVELOPERS FOR THE C.O.S. FRONTAGE.

CITY OF GERMANTOWN # 16-638
 CITY OF MEMPHIS # S 16-09
FINAL PLAT
PHASE 1
ALLELON SUBDIVISION
 GERMANTOWN & MEMPHIS, TENNESSEE
 APRIL 2019
 TOTAL AREA: 884,599 SF / 20.31 AC.
 MEMPHIS PARCEL IDS 81 56 0003 & 81 56 0006 & GERMANTOWN PARCEL ID G2 30 00449
 AREA WITHIN GERMANTOWN: 692,307 SF / 15.89 AC.
 AREA WITHIN MEMPHIS: 192,326 SF / 4.42 AC.
 GERMANTOWN ZONING: R MEMPHIS ZONING: R-15
 FEMA PANEL NO. 47157C0455F / EFFECTIVE DATE: SEPTEMBER 28, 2007 / ELEV. 305-312.
 TOTAL LOTS : 26 LOTS & 5 C.O.S. LOTS

PREPARED FOR:
BOYLE INVESTMENT COMPANY
 5900 POPLAR AVE
 MEMPHIS, TN 38119

FISHER ARNOLD
 ENGINEERS | ARCHITECTS | CONSULTANTS | PLANNERS
 9180 Crestwyn Hills Drive | Memphis, Tennessee 38125-8558
 901.748.1811 | Fax: 901.748.3115 | www.fisherarnold.com





RECORDED:
 19106216-
 10/11/2019 08:16:10 AM
 BK 283 PG 41
 Shelandra Y. Ford
 REGISTER OF DEEDS SHELBY COUNTY TENNESSEE

04/12/2019 02:36 PM
 19035872
 3 PGS
 CHRISTIANAM 1857620-19035872
 PLAT BOOK: 281
 PAGE: 17
 RECORDING FEE 15.00
 DP FEE 2.00
 TOTAL AMOUNT 17.00
SHELANDRA Y FORD
 REGISTER OF DEEDS SHELBY COUNTY TENNESSEE

A:\9157\Subdiv\FINAL OUTLINE & PLAT 2019\PHASE 1\PHASE 1\PLAT19106216.DWG To PDF PLOT

Curve Table					
Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C1	171.90'	1716.00'	5°44'22"	S10° 19' 04"W	171.82'
C2	170.36'	1750.00'	5°34'40"	N10° 14' 13"E	170.30'
C3	10.04'	35.50'	16°11'59"	S67° 12' 49"E	10.00'
C4	12.16'	34.50'	20°11'51"	N81° 49' 56"E	12.10'
C5	55.04'	34.50'	91°24'34"	S42° 21' 51"E	49.39'
C6	53.34'	34.50'	88°35'26"	N47° 38' 09"E	48.19'
C7	36.22'	265.50'	7°48'58"	N84° 09' 40"W	36.19'
C10	151.98'	233.41'	37°18'20"	S89° 30' 22"E	149.30'
C11	6.70'	254.54'	1°30'26"	S50° 07' 33"E	6.70'
C12	54.19'	34.50'	90°00'00"	S4° 15' 22"E	48.79'
C13	54.19'	34.50'	90°00'00"	N85° 44' 38"E	48.79'
C14	6.67'	4.50'	84°54'59"	S45° 36' 39"E	6.08'
C15	12.37'	234.86'	3°01'08"	S47° 44' 40"E	12.37'
C16	97.77'	35.00'	160°03'35"	S83° 10' 57"E	68.94'
C17	88.68'	266.31'	19°04'42"	N18° 55' 46"W	88.27'
C18	202.90'	234.48'	49°34'44"	S21° 26' 44"E	196.63'
C19	58.86'	264.29'	12°45'40"	N3° 00' 35"W	58.74'
C20	22.70'	167.73'	7°45'19"	S36° 48' 50"W	22.69'
C21	84.67'	164.86'	29°25'43"	S18° 13' 42"W	83.75'
C22	55.69'	134.50'	23°43'27"	N28° 52' 54"E	55.29'
C23	32.11'	134.50'	13°40'41"	N10° 10' 50"E	32.03'
C24	25.55'	34.50'	42°26'04"	N17° 52' 32"W	24.97'
C25	3.47'	34.50'	5°45'19"	N41° 58' 14"W	3.46'
C26	64.71'	40.50'	91°32'42"	S0° 55' 28"W	58.04'
C27	53.85'	40.50'	76°10'59"	S84° 47' 18"W	49.97'
C28	13.18'	40.50'	18°39'05"	N47° 47' 40"W	13.13'
C29	29.02'	34.50'	48°11'23"	S62° 33' 49"E	28.17'
C30	54.19'	34.50'	90°00'00"	S48° 20' 30"W	48.79'
C31	54.19'	34.50'	90°00'00"	N41° 39' 30"W	48.79'
C32	54.19'	34.50'	90°00'00"	S48° 20' 30"W	48.79'
C33	70.37'	134.50'	29°58'40"	S71° 40' 10"E	69.57'
C34	48.81'	34.50'	81°03'23"	S16° 09' 09"E	44.84'
C36	53.42'	145.50'	21°02'07"	S13° 51' 29"W	53.12'
C37	169.35'	250.00'	38°48'47"	N68° 39' 45"W	166.13'
C38	229.50'	250.00'	52°35'52"	N22° 57' 26"W	221.53'
C39	97.92'	150.00'	37°24'08"	S22° 02' 34"W	96.19'
C40	110.80'	165.50'	38°21'37"	N63° 00' 18"W	108.75'
C41	100.07'	134.50'	42°37'43"	N65° 20' 39"W	97.78'
C42	10.18'	34.50'	16°54'33"	S84° 53' 13"W	10.14'
C43	61.81'	34.50'	102°38'46"	N61° 07' 46"E	53.87'
C44	55.20'	165.50'	19°06'39"	S77° 06' 11"E	54.95'
C45	9.79'	34.50'	16°15'03"	S78° 31' 59"E	9.75'
C46	12.92'	114.50'	6°27'57"	N6° 34' 24"E	12.91'
C47	12.92'	174.91'	4°13'57"	N84° 25' 18"W	12.92'
C48	0.48'	134.50'	0°12'17"	N43° 55' 38"W	0.48'
C49	15.61'	150.00'	5°57'49"	N46° 48' 24"W	15.61'
C50	83.64'	130.00'	36°51'45"	N21° 46' 18"E	82.20'
C51	112.14'	150.00'	42°50'00"	S65° 14' 30"E	109.54'
C52	96.53'	150.00'	36°52'12"	N68° 13' 24"W	94.87'
C53	18.53'	11.50'	92°17'53"	N58° 26' 03"E	16.59'
C54	39.27'	50.00'	45°00'00"	N25° 50' 30"E	38.27'
C55	39.27'	50.00'	45°00'00"	N70° 50' 30"E	38.27'
C56	9.84'	265.50'	2°07'24"	N48° 11' 40"W	9.84'
C57	86.35'	265.50'	18°38'05"	N37° 48' 56"W	85.97'
C58	84.62'	265.50'	18°15'41"	S71° 07' 20"E	84.26'
C59	59.01'	265.50'	12°44'07"	S55° 37' 26"E	58.89'

Line Table		
Line #	Length	Direction
L1	135.48'	S3° 20' 26"W
L2	54.46'	S3° 20' 30"W
L3	49.72'	N3° 20' 30"E
L4	68.63'	S86° 39' 30"E
L5	20.71'	N41° 39' 30"W
L6	22.71'	N7° 26' 53"E
L7	14.93'	N5° 35' 26"E
L8	34.16'	N88° 04' 09"W
L9	44.38'	S5° 35' 26"W
L10	34.00'	N86° 39' 30"W
L11	97.70'	S88° 04' 09"E
L12	60.53'	N5° 35' 26"E
L13	49.99'	N86° 39' 30"W



CITY OF GERMANTOWN # 16-638
CITY OF MEMPHIS # S 16-09
FINAL PLAT
PHASE 1
ALLELON SUBDIVISION
GERMANTOWN & MEMPHIS, TENNESSEE
APRIL 2019


TOTAL AREA: 884,599 SF / 20.31 AC.
MEMPHIS PARCEL IDS 81 56 0003 & 81 56 0006 & GERMANTOWN PARCEL ID G2 30 00449
AREA WITHIN GERMANTOWN: 692,307 SF / 15.89 AC.
AREA WITHIN MEMPHIS: 192,326 SF / 4.42 AC.
MEMPHIS ZONING: R-15

TIFF ID: 19468
NAME: ALLELON SUBDIVISION
TYPE: RECORDED PLAT
CONTRACT 511
INDEX: 10
OTHER:

SHT: 2 OF 28
FEMA PANEL NO. 47157C0455F / EFFECTIVE DATE: SEPTEMBER 28, 2007 / ELEV. 305-312.
TOTAL LOTS: 26 LOTS & 5 C.O.S. LOTS

PREPARED FOR:
BOYLE INVESTMENT COMPANY
5900 POPLAR AVE
MEMPHIS, TN 38119

FISHER ARNOLD
ENGINEERS | ARCHITECTS | CONSULTANTS | PLANNERS
9180 Crestwyn Hills Drive | Memphis, Tennessee 38125-8538
901.748.1811 | Fax: 901.748.3115 | www.fisherarnold.com



RECORDED:
19106216-
10/11/2019 08:16:10 AM
BK 283 PG 41
Shelandra Y. Ford
REGISTER OF DEEDS SHELBY COUNTY TENNESSEE

04/12/2019 02:36 PM
19035872
3 PGS
CHRISTINA M 1857620-19035872
PLAT BOOK: 281
PAGE: 17
RECORDING FEE 15.00
DIP FEE 2.00
TOTAL AMOUNT 17.00
SHELANDRA Y FORD
REGISTER OF DEEDS SHELBY COUNTY TENNESSEE

ON JULY 14, 2016 THE MEMPHIS AND SHELBY COUNTY LAND USE CONTROL BOARD APPROVED THE CITY OF MEMPHIS PORTION OF THE ALLELON SUBDIVISION PLAN SUBJECT TO THE FOLLOWING CONDITIONS AND VARIANCE:

1. DEDICATE 34 FEET FROM THE CENTERLINE OF MCVAY ROAD. NO IMPROVEMENTS ARE REQUIRED.
2. THE TWO PROPOSED STREET STUBS FROM MCVAY ROAD TO THE GERMANTOWN CITY LIMITS LINE LOCATED IN THE CITY OF MEMPHIS (ALLELON CIRCLE NORTH AND ALLELON CIRCLE SOUTH) SHALL BE DEDICATED AND IMPROVED TO A STANDARD ACCEPTABLE TO THE CITY OF MEMPHIS. THESE STREET STUBS MAY BE MAINTAINED BY THE CITY OF GERMANTOWN SUBJECT TO AN INTERGOVERNMENTAL AGREEMENT BETWEEN THE CITY OF MEMPHIS AND CITY OF GERMANTOWN.
3. ANY TRAFFIC CONTROL SIGNS AND STREET NAME IDENTIFICATION SIGNS TO BE INSTALLED AT THE INTERSECTIONS OF ALLELON CIRCLE NORTH AND ALLELON CIRCLE SOUTH WITH MCVAY ROAD SHALL BE APPROVED BY THE CITY OF MEMPHIS TRAFFIC ENGINEERING DEPARTMENT.
4. THE COMMON OPEN SPACE AREAS SHALL COMPLY WITH SECTIONS 6.2.4 AND 6.2.5 OF THE UNIFIED DEVELOPMENT CODE. THE BINDING LEGAL INSTRUMENT GOVERNING THE COMMON OPEN SPACE SHALL BE RECORDED PRIOR TO OR CONCURRENT WITH THE FINAL PLAT.

MCVAY ROAD IMPROVEMENT WAIVER

IN ACCORDANCE WITH SUB-SECTION 9.7. 7F OF THE UNIFIED DEVELOPMENT CODE, A WAIVER IS HEREBY GRANTED TO THE INSTALLATION OF ROAD IMPROVEMENTS REQUIRED BY ARTICLE 5 (INFRASTRUCTURE AND PUBLIC IMPROVEMENTS) OF THE UNIFIED DEVELOPMENT CODE.

ON FEBRUARY 14, 2019 THE MEMPHIS AND SHELBY COUNTY LAND USE CONTROL BOARD APPROVED PRIVATE STREETS FOR THE CITY OF MEMPHIS PORTION OF THE ALLELON SUBDIVISION SUBJECT TO THE FOLLOWING CONDITIONS:

1. THE TWO PROPOSED STREET STUBS FROM MCVAY ROAD TO THE GERMANTOWN CITY LIMITS LINE LOCATED IN THE CITY OF MEMPHIS (ALLELON CIRCLE NORTH AND ALLELON CIRCLE SOUTH) SHALL BE IMPROVED TO A STANDARD ACCEPTABLE TO THE CITY OF MEMPHIS. THESE STREET STUBS SHALL BE OWNED AND MAINTAINED BY A PROPERTY OWNERS ASSOCIATION. THE BINDING LEGAL INSTRUMENT GOVERNING THE PRIVATE STREET STUBS SHALL BE RECORDED PRIOR TO OR CONCURRENT WITH THE FINAL PLAT. THE INSTRUMENT NUMBER OF THIS INSTRUMENT IS 19035375.
2. ANY TRAFFIC CONTROL SIGNS AND STREET NAME IDENTIFICATION SIGNS TO BE INSTALLED AT THE INTERSECTIONS OF ALLELON CIRCLE NORTH AND ALLELON CIRCLE SOUTH WITH MCVAY ROAD SHALL BE APPROVED BY THE CITY OF MEMPHIS TRAFFIC ENGINEERING DEPARTMENT; SUCH STREET NAME IDENTIFICATION SIGNS SHALL BE BLUE IN COLOR.
3. ONE FINAL PLAT/FINAL PLAN REFLECTING THE SEPARATE APPROVALS WITHIN THE CITY OF GERMANTOWN AND THE CITY OF MEMPHIS SHALL BE SUBMITTED FOR RECORDATION, INCLUDING THE APPROVAL OF THE CITY OF GERMANTOWN OF THE ENTRANCE/EXIT GATES AND ASSOCIATED VEHICULAR CONTROL DEVICES.

OWNERS CERTIFICATE
WE BOYLE INVESTMENTS CO., THE UNDERSIGNED OWNER OF THE PROPERTY SHOWN HEREON, HEREBY ADOPT THIS AS OUR PLAN OF SUBDIVISION AND DEDICATE THE MCVAY ROAD RIGHT-OF-WAY AS SHOWN FOR PUBLIC USE FOREVER, AND HEREBY CERTIFY THAT WE ARE THE OWNER(S) IN FEE SIMPLE, DULY AUTHORIZED TO ACT, AND THAT SAID PROPERTY IS UNENCUMBERED BY ANY TAXES THAT HAVE BECOME DUE AND PAYABLE.

[Signature]
GARY THOMPSON, VICE PRESIDENT DATE 4/4/19

STATE OF TENNESSEE
COUNTY OF SHELBY

BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC IN AND FOR THE STATE AND COUNTY AFORESAID, DULY COMMISSIONED AND QUALIFIED, PERSONALLY APPEARED GARY THOMPSON WITH WHOM I AM PERSONALLY ACQUAINTED AND WHO, UPON HIS OATH, ACKNOWLEDGE HIMSELF TO BE THE OWNER OF THE ALLELON SUBDIVISION, PHASE 1, AND HE EXECUTED THE FOREGOING INSTRUMENT FOR THE PURPOSE THEREIN CONTAINED BY SIGNING HIS/HER NAME AS OWNER. IN WITNESS WHEREOF, I HERETO SET MY HAND AFFIX MY SEAL THIS 4th DAY OF APRIL 2019

[Signature]
NOTARY PUBLIC
MY COMMISSION EXPIRES 10-19-22



ON MARCH 25, 2019 THE GERMANTOWN BOARD OF MAYOR AND ALDERMAN APPROVED PRIVATE STREETS FOR THE CITY OF GERMANTOWN'S PORTION OF THE ALLELON SUBDIVISION SUBJECT TO THE FOLLOWING CONDITIONS:

1. Prior to final acceptance of this project and subsequent release of security, the developer is responsible for providing necessary documentation that the street lights have indeed been converted to private maintenance responsibility.
2. All recorded easements shall be shown on the plat. A five (5) foot utility easement is required along all property lines, adjacent to and not within any other easement, **except Lot 43.**
3. Any entrance feature/landscaping shall be contained in a landscape easement.
4. The subdivision covenants shall include a provision for a homeowner's association that shall be responsible for the maintenance of the fence/entrance structures, landscaping, irrigation, and common open space.
5. All survey data shall be tied to Tennessee State Plane Coordinates and the City of Germantown monumented survey control. The final plat, construction drawings and "as built" plans shall be submitted on electronic media in DXF format. Concrete monuments shall be placed at all corners of the subdivided property.
6. The Developer agrees to include in all contracts between the Developer and purchaser of any part of the property (Lot Purchasers) the following unless otherwise authorized in writing by the City Engineer:
 - (a) All streets shall be kept clear and free of dirt and debris;
 - (b) All construction activity shall begin no earlier than 7:00 a.m. and end no later than 6:00 p.m., Monday thru Saturday, and no construction activity shall be permitted on Sundays; and
 - (c) The Developer and Lot Purchasers shall provide the Department of Community Development with the name, address and phone number of person(s) to be contacted and responsible for correcting any of the above should the occasion arise to do so.

CERTIFICATE OF SURVEY

I, MICHAEL ROGERS, DO HEREBY CERTIFY THAT I AM REGISTERED LAND SURVEYOR, AND THAT I HAVE SURVEYED THE LANDS, EMBRACED WITHIN MAP OR PLAT DESIGNATED AS ALLELON SUBDIVISION, PHASE 1, A SUBDIVISION ALL LYING WITHIN THE CORPORATE LIMITS OF THE CITY OF GERMANTOWN, TENNESSEE; SAID THIS PLAT IS A TRUE AND CORRECT PLAT OF THE LANDS EMBRACED THEREIN, SHOWING THE SUBDIVISION THEREOF IN ACCORDANCE WITH THE SUBDIVISION REGULATIONS OF THE CITY OF GERMANTOWN, TENNESSEE; I FURTHER CERTIFY THAT THE SURVEY OF THE LANDS EMBRACED WITHIN SAID PLAT OR MAP HAS BEEN CORRECTLY MONUMENTED IN ACCORDANCE WITH THE SUBDIVISION REGULATIONS OF THE CITY OF GERMANTOWN, TENNESSEE.



ENGINEER'S CERTIFICATE

IT IS HEREBY CERTIFIED THAT THIS PLAT IS TRUE AND CORRECT, IS IN CONFORMANCE WITH THE DESIGN REQUIREMENTS OF THE ZONING ORDINANCE, THE SUBDIVISION REGULATIONS AND THE SPECIFIC CONDITIONS IMPOSED ON THIS DEVELOPMENT, AND TAKES INTO ACCOUNT ALL APPLICABLE FEDERAL, STATE AND LOCAL BUILDING LAWS AND REGULATIONS.



THIS PLAT IS BEING RE-RECORDED TO CORRECT LINE TABLE L2 LENGTH AND TO ADD A MISSING DIMENSION ON LOT 32.
[Signature] 10/10/19
DATE

APPROVED BY THE GERMANTOWN PLANNING COMMISSION

[Signature] 04/11/19
SECRETARY, PLANNING COMMISSION DATE

OFFICE OF PLANNING AND DEVELOPMENT CERTIFICATE

THE CITY OF MEMPHIS PORTION OF THIS PLAN WAS APPROVED BY THE MEMPHIS AND SHELBY COUNTY LAND USE CONTROL BOARD JULY 14, 2016 WITH AN AMENDED APPROVAL ON FEBRUARY 14, 2019 TO ALLOW PRIVATE STREETS.

BY *[Signature]*
DIRECTOR OF PLANNING AND DEVELOPMENT
DATE 4/5/2019

CITY ENGINEER *[Signature]*

CITY OF GERMANTOWN
ACCEPTANCE OF ENTRANCE/EXIT GATES AND ASSOCIATED VEHICULAR CONTROL DEVICES

[Signature] 4/5/2019
JODY DWYER, FIRE MARSHAL DATE

TIFF ID: 19469
NAME: ALLELON SUBDIVISION

TYPE: RECORDED PLAT
CONTRACT 511 SHT: 3 OF 28
INDEX: 10
OTHER:

CITY OF GERMANTOWN # 16-638
CITY OF MEMPHIS # S 16-09
FINAL PLAT
PHASE 1
ALLELON SUBDIVISION
GERMANTOWN & MEMPHIS, TENNESSEE
APRIL 2019

TOTAL AREA: 884,599 SF / 20.31 AC.
MEMPHIS PARCEL IDS 81 56 0003 & 81 56 0006 & GERMANTOWN PARCEL ID G2 30 00449
AREA WITHIN GERMANTOWN: 692,307 SF / 15.89 AC.
AREA WITHIN MEMPHIS: 192,326 SF / 4.42 AC.
MEMPHIS ZONING: R-15
FEMA PANEL NO. 47157C0455F / EFFECTIVE DATE: SEPTEMBER 28, 2007 / ELEV. 305-312.
TOTAL LOTS : 26 LOTS & 5 C.O.S. LOTS

PREPARED FOR:
BOYLE INVESTMENT COMPANY
5900 POPLAR AVE
MEMPHIS, TN 38119

FISHER ARNOLD
ENGINEERS | ARCHITECTS | CONSULTANTS | PLANNERS
9180 Crestwyn Hills Drive | Memphis, Tennessee 38125-8538
901.748.1611 | Fax: 901.748.3115 | www.fisherarnold.com

RECORDED:

Re-Records
19106216-
10/11/2019 08:16:10 AM
BK 283 PG 41
Shelandra Y. Ford
REGISTER OF DEEDS SHELBY COUNTY TENNESSEE

04/12/2019 02:36 PM
19035872
3 PGS
CHRISTINAM 1887620-19035872
PLAT BOOK: 281
PAGE: 17
RECORDING FEE 15.00
DP FEE 2.00
TOTAL AMOUNT 17.00
SHELANDRA Y FORD
REGISTER OF DEEDS SHELBY COUNTY TENNESSEE

REVISED: